



Clark County Department of Building & Fire Prevention

4701 West Russell Road • Las Vegas NV 89118

(702) 455-3000 • Fax (702) 221-0630

Division:	Building Division	Policy & Procedure:	BD-PP-223
Subject:	Concrete Mix Designs	Effective Date:	11/01/2016
Code:	2018 IBC Chapter 17	Revised Date:	01/01/2021

A. POLICY

When the concrete and grout mix designs exceed a design specified compressive strength of 2,500 psi shall be submitted to and approved by the Clark County Department of Building and Fire Prevention.

B. PROCEDURE

1. Concrete and grout mix designs are to be reviewed and approved by the Registered Design Professional in responsible charge prior to submittal to CCDB&FP.
2. The Engineering Group shall be responsible for reviewing and accepting submitted mix designs.
3. Once accepted by CCBD&FP the mix designs become a part of the approved construction documents and are required to be on the jobsite prior to concrete or grout placement. These mix designs shall be used by the special inspector to confirm the delivered materials as evidenced by the batch ticket.

Prepared By: Ted Droessler

Date Prepared: 2007

Revision History:

Title	Revision/Approved Date	Effective Date
Concrete Mix Designs BD-PP-161	New	11/01/2016
Concrete Mix Designs BP-PP-223	01/01/2021	

Reviewed by:

N/A
Vacant
Engineering Manager

Werner Hellmer
Werner Hellmer, P.E.
Manage of Plans Exam.

Zach Gharibian
Zach Gharibian
ACET Manager

Matthew Brewer
Matthew Brewer
Manager of Inspections

Danny Horvat
Danny Horvat
Assistant Fire Chief

Wayne Dailey
Wayne Dailey
Assistant Fire Chief

Ofelia Monje
Ofelia Monje
Senior Management Analyst

Amara Vigil
Amara Vigil
Senior Management Analyst

Samuel D. Palmer
Samuel D. Palmer, P.E. C.B.O
Assistant Director

James Gerren
James Gerren, P.E. C.B.O
Assistant Director

Approved by:

Jerome A. Stueve
Jerome A. Stueve, P.E.
Director/Building & Fire Official